

# Protecto Entero Pectin®

## COMPOSITION:

Bismuth Subnitrate\_ 3gr / Aluminum Silicate\_ 30gr /  
Pectina\_0.5gr / Dimethicone\_1gr /  
Excipient c.s.p. 100gr

## THERAPEUTIC ACTION:

antidiarrheal, backmolytic, protector of the mucosa,  
antiseptic, adsorbent of toxins,  
and carminative.

## INDICATIONS:

Diarrhea of any etiology, food poisoning enteritis,  
gastroenteritis, gastritis, and meteorism.

## ADMINISTRATION:

Oral

## DOSAGE:

0.5 to 2 ml / kgpv in equines, bovines, sheep,  
goats, pigs, and felines; or criteria of the acting  
veterinarian. It can be repeated every 12 hours.  
The eventual presence of lumps does not alter  
the quality or efficacy of the product.  
Shake before using.

**SIDE EFFECTS:** Protecto Entero Pectin does  
not have side effects.

## OBSERVATIONS:

It's not recommended to be mixed with milk and/or  
milk substitute, but it is advisable to give it half an  
hour before them.

Oral rehydration salts shouldn't be mixed with the  
product but given after or before the treatment.



SENASA Cert N° 92189  
Estab. Elab. N° 7112  
D.T.M.V. G.Ladaga MP5113

**KEEP BEWTEEN  
15 AND 25°**

**ANTIDIARRHEAL  
Con. Neto 100 ml**



Laboratorio

**FUNDACION**

**SHAKE BEFORE USING**

KEEP AWAY FROM CHILDREN  
MADE IN ARGENTINA